MEDICAL LABORATORY SCIENCES

INDEXES

Volume 40 1983

SUBJECT INDEX

A

Acquired dysfibrinogenaemia 165
Aedes pseudoscutellaris cell line for the investigation of dengue and yellow fever outbreaks. Studies on the use of the 202
Aerodynamic class I microbiological safety cabinet. A unidirectional 159
Albumin preparations. Specific folate-binding proteins in some commercial serum 187
Alkaline phosphatase-linked transferrin antibody. Preparation of an 139
Anaemia. The serodiagnosis of canine autoimmune haemolytic 405
Animal and human materials. Plasma creatine kinase assays: discrepancies between results on 301
Antibodies to *Toxoplasma gondii*: a comparison of three test kits. Detection of 387
Antibodies. A solid-phase radioimmunoassay for detection of tetanus 73
Antibody: a comparison with other serological tests. Enzyme-linked immunosorbent assay for the detection of Toxoplasma IgG 322
Antibody complexes on tests of leukocyte function. Studies on the effects of antigen 91
Antibody. Preparation of an alkaline phosphatase-linked transferrin 139
Antibody-bound progesterone. Charcoal cloth discs to separate free from 229
Antigen antibody complexes on tests of leukocyte function. Studies on the effects of 91
Antigenic analysis of *Toxoplasma gondii*. A contribution towards the 319
Antigens McC^{c} and McC^{d}. Expansion of the York, Cost, McCoy, Knops blood group system: the new McCoy 113
Antigens and their involvement in the enzyme-linked immunoassay and haemagglutination tests. A study of the purification of *Toxoplasma gondii* 201
Anti-HB$_{core}$IgM. A modified enzyme immunoassay for detection of 189
Anti-sera: large-scale clarification, concentration, and sterile filtration. Blood grouping 123
Anti-tumour effector cells. Isolation and characterisation of 198
Aspirating procedure for solid phase immunoassays. A semi-automated washing and 75
Assay for the detection of Toxoplasma IgG antibody: a comparison with other serological tests. Enzyme-linked immunosorbent 322
Assay for urea. An enzyme-linked radial diffusion 21
Assay of vitamin B_{12} 95
Assays: discrepancies between results on animal and human materials. Plasma creatine kinase 301
Assays. Toxic tape and ELISA 407
Autoimmune haemolytic anaemia. The serodiagnosis of canine 405
Automated blood grouping equipment. Quality control with 243
Automated blood grouping in a hospital laboratory with the Minigroupamatic 7
Automated particle counter. An improved method for obtaining reliable blood counts with hyperlipaemic samples on an 397
Autoradiographic negative chemography in rat oral epithelium. Tissue fixation and 15

B

Bacilli. Koch's cultivation of tubercle 85
Bacterial growth by the Malthus conductance meter. Detection of 149
Bacteriocinogeny in *Pasteurella haemolytica* 92
Bacteriology. Microcomputers in 355
Bacteriuria. Effect of chemical preservation of urine on routine urinalysis and non-culture tests for 27
Beta thromboglobulin and glycosylated haemoglobin in diabetes mellitus 298
Biochemical identification of the enterobacteriaciae using a multipoint inoculation system 349
Bioluminescence as an analytical technique for determination of creatinine 129
Biopsies for combined light and electron microscopy. Collection and orientation of gastric and intestinal 395
Blood cells for transfusion prepared with the IBM 2991 processor. Leucocyte-poor red 107
Blood and its components. Quality monitoring 253
Blood counts with hyperlipaemic samples on an automated particle counter. An improved method for obtaining reliable 397
Blood and the detection of exposure to mercury and its compounds. The estimation of mercury levels in urine and whole 297
Blood donor. Particulate structure derived from the serum of a hepatitis non-A, non-B-implicated . 77
Blood donors: an evaluation of the BPL-bead radioimmunoassay. Hepatitis B surface antigen testing of 49
Blood gas analysis: instrumentation and quality control 219
Blood glucose estimations. A quality-control scheme for ward-based 279
Blood glucose Reflotest-Reflomat system. Laboratory staff and nurses' performance when using the 283

SUBJECT INDEX

Blood group system: the new McCoy antigens McC^{e} and McC^{d}. Expansion of the York, Cost, McCoy, Knops 113
Blood grouping anti-sera: large-scale clarification, concentration, and sterile filtration 123
Blood grouping equipment. Quality control with automated 243
Blood grouping in a hospital laboratory with the Minigroupamatic. Automated 7
Blood for transfusion. Leucocyte-poor 105
Book Reviews
An A to Z of Meters: The Physical Principles of Medical Instrumentation – *J.M. Herbert* . . 416
Anaerobic Infections. 2nd Edition – *A.T. Willia and K.D. Phillips* 313
Antibiotics: An integrated View – *G. Lanciin and F. Parenti* 414
The Art of Abstracting – *E.T. Cremmins* 418
Atlas of Post-mortem Techniques in Neuropathology – *J.H. Adams and M.F. Murray* 411
The Biochemists' Songbook – *H. Baum* 103
Blood Biochemistry – *N.J. Russell, G.M. Powell, J.G. Jones, P.J. Winterburn and J. Basford* 308
Blood Transfusion in Clinical Medicine. 7th Edition – *P.L. Mollison* 411
Campylobacter: Epidemiology, Pathogenesis and Biochemistry – *D.G. Newell (Editor)* . . . 414
Cell Structure. An Introduction to Biomedical Electron Microscopy. 3rd Edition. – *K.E. Carr and P.G. Toner* 314
Circulation of the Blood: Men and Ideas – *A.P. Fishman and D.W. Richards (Editors)* 419
Clinical Decisions and Laboratory Use – *D.P. Connelly, E.S. Benson, M.D. Burke and D. Henderson (Editors)* 209
Clinical Laboratory Annual. Volume 1 – *H.A. Homberger and J.G. Batsakis* 102
Clinical Laboratory Management – *K.R. Karni, K.R. Viskochil and P.A. Amos (Editors)* . . 417
Clinical Practice of Blood Transfusion – *L.D. Petz and S.N. Swisher (Editors)* 203
Current Topics in Microbiology and Immunology No. 97 – *W. Henle* et al. *(Editors)* 206
Diagnostic Microbiology (sixth edition) – *S.M. Finegold and W.J. Martin* 206
A Dictionary of Virology – *K.E.K. Rowson, T.A.L. Rees and B.W.J. Maby* 313
Encyclopaedia and Dictionary of Medicine, Nursing, and Allied Health. 3rd Edition – *B.F. Miller and C.B. Keane* 417
Enzyme Diagnosis in Diseases of the Heart, Liver and Pancreas – *L. Adolph and R. Lorenz* . 98
Enzymes (Benchmark Papers in Biochemistry, Vol. 1) – *H.C. Friedman (Editor)* 98
Essentials of Medical Microbiology. 2nd Edition – *W.A. Volk* 312
Fixation for Electron Microscopy – *M.A. Hayat* 314
The Fungal Nucleus. British Mycological Society, Symposium 5 – *K. Gull and S.G. Oliver (Editors)* 101
Gel Electrophoresis of Nucleic Acids : a practical approach – *D. Rickwood and B.D. Hames (Editors)* 205
Genetics as a tool in Microbiology. Society for General Microbiology, Symposium 31 – *S.W. Glover and D.A. Hopwood (Editors)* 101
A guide to the Notification of Installations Handling Hazardous Substances Regulations 1982 – *Health and Safety Executive* 416
Handbook of Public Speaking for Scientists and Engineers – *P. Kenny* 315
Handbook of Microscopy – *M.V. Locquin and M. Lamgeron (translation edited by H. Hillman)* 415
Hemostasis and Thrombosis – A Conceptual Approach. 2nd Edition – *J. Hirsch and E.A. Brain* 412
Histochemistry: An explanatory Outline of Histochemistry and Biological Staining – *R.W. Horobin* 203
Histochemistry: The Widening Horizons of its Application in the Biomedical Sciences – *P.J. Stoward and J.M. Polak (Editors)* 204
How to Write and Publish Papers in the Medical Sciences – *E.J. Huth* 418
Human Anatomy and Physiology – *E.P. Solomon and P.W. Davis* 415
Human Cancer Markers – *S. Sell and B. Wabren (Editors)* 310
Idiotypes and Lymphocytes – *C.A. Bona* 99
Immunochemical Techniques. 'Methods in Enzymology' Series Vol. 74 – *J.J. Langone and H.V. Vunakis (Editors)* 100
Immunocytochemistry – *J.M. Polak and S. Van Noorden (Editors)* 412
Immunological Aspects of Liver Disease – *H.C. Thomas, P.A. Miescher and H.J. Mueller-Eberhard (Editors)* 205
Information Sources in the History of Science and Medicine – *P. Corsi and P. Weindling (Editors)* 419
Introduction to Safety in the Chemical Laboratory – *N.T. Freeman and J. Whitehead* 308
Ionising Radiations Regulations 198- – *Health and Safety Commission* 208
Laboratory Investigation of Rubella. PHLS Monograph Series No 16 – *J.R. Pattison* 313

'Learn, That You May Improve': the History of the Institute of Medical Laboratory Sciences – *A.D. Farr* 305
Learning to Learn in Higher Education – *J. Wright* 102
Liquid Chromatography in Clinical Analysis – *P.M. Kabra and L.J. Marton (Editors)* 204
Lymphoid Tissue – *G.J. Reynolds* 306
Medical Microbiology – *S. Baron (Editor)* 413
Medical Microbiology – *F. Milgrom and T.D. Flanagan (Editors)* 311
Medical Microbiology. Volume 1 – *C.S.F. Easmon and J. Jeljaszewicz (Editors)* 413
Medical Microbiology Laboratory Procedures – *L. Treagan and L. Pulliam* 208
Methods in Enzymology. Vol. 76. Hemoglobins – *E. Antonini, L. Rossi-Bernardi, E. Chiancone (Editors)* 99
Methods in Enzymology. Vol. 88. Biomembranes Part I. Visual pigments and purple membranes, II – *L. Packer (Editor)* 307
Methods in Emzymology. Vol. 89. Carbohydrate Metabolism, Part D – *W.A. Wood (Editor)* 307
Methods in Haematology: The Haemophilias – *A.L. Bloom (Editor)* 309
Methods in Haematology. No. 6. The Thalassaemias – *D.J. Weatherall (Editor)* 310
Microbiology, 1981 – *D. Schlessinger (Editor)* 100
Molecular and Cellular Aspects of Microbial Evolution – *M.J. Carlile, J.F. Collins and B.E.B. Mosely (Editors)* 101
More Random Walks in Science – *R.L. Weber* 315
Mycobacteria – *M.V. Chadwick* 415
New Approaches to Laboratory Medicine. Translations 2nd Merz & Dade Exploratory Seminar, 1981 – *S.B. Rosalki (Editor)* 305
Non-A, Non-B Hepatitis – *R.J. Gerety (Editor)* 209
Normal Renal Function – *W.J. O'Connor* 307
Pathology of Drug-Induced and Toxic Diseases – *R.H. Riddell (Editor)* 308
Political Anatomy of the Body: Medical Knowledge in Britain in the Twentieth Century – *D. Armstrong* 420
Principles of Refrigeration – *W.B. Gosney* 210
Procedure Manual of Clinical Bacteriology – *D. Branson* 414
Radioimmunoassay of Antibody and its Clinical Applications – *D. Parratt, H. McKenzie, K.H. Nielsen and S.J. Cobb* 209
Radioimmunoassay of Gut Regulatory Peptides – *S.R. Bloom and R.G. Long (Editors)* . . . 98
Rh Haemolytic Disease: New Strategy for Eradication – *F.D. Figoletto Jr, J.F. Jewett and A.A. Konugres (Editors)* 306
Safe Handling of Micro-Organisms – *M.R. Bailey* 207
Self-Assessment in Histology – *P.R. Wheater and H.G. Burkitt* 97
Structure and Function in Man. 5th Edition – *S.W. Jacob, C.A. Frankone and W.J. Lossow* 102
Synopsis of Haematology – *J.D.M. Richards, D.C. Lynch and A.H. Goldstone* 309
T-Cell Hybridomas. Current Topics in Microbiology and Immunology. Volume 100 – *H.V. Boehmer, W. Haas, G. Köbler, F. Melchers and J. Zeutben (Editors)* 311
Theory and Practice of Histological Techniques – *J.D. Bancroft and A. Stevens* 97
Books Received, 103, 210, 316
Bovine papillomaviruses. Immunocytochemical studies of 299
BPL-bead radioimmunoassay. Hepatitis B surface antigen testing of blood donors: an evaluation of the 49

C

Campylobacter infections: domestic cows as a possible source of infection in Nigeria 145
Campylobacters. Cellular fatty acid profiles of 333
Canine autoimmune haemolytic anaemia. The serodiagnosis of 405
Capillary-ESR tube in a paediatric haematology laboratory. Erythrocyte sedimentation rate: evaluation of a commercial 183
Cell line for the investigation of dengue and yellow fever outbreaks. Studies on the use of the *Aedes pseudoscutellaris* 202
Cells. Isolation and characterisation of anti-tumour effector 198
Cellular fatty acid profiles of campylobacters 333
Ch and Rg testing. A simple method for 65
Charcoal cloth discs to separate free from antibody-bound progesterone 229
Chemical preservation of urine on routine urinalysis and non-culture tests for bacteriuria. Effect of 27
Chemography in rat oral epithelium. Tissue fixation and autoradiographic negative 15
Chemotaxis: a simple measurement technique. Monocyte 291
Chlamydia trachomatis. Microplate culture with PAS staining for the diagnostic isolation of 193
Clinical chemistry. External quality assessment in 263

Clinical isolates of human cytomegalovirus by restriction enzyme analysis. Genome characterization of . . . 81
Clinical microbiology. Quality assurance and . . . 269
Clarification, concentration, and sterile filtration. Blood grouping anti-sera: large scale . . . 123
Clostridia of clinical importance. The identification and sub-classification of . . . 200
Coeliac disease and intestinal enzymes . . . 404
Collection and orientation of gastric and intestinal biopsies by combined light and electron microscopy . . . 395
Conductance meter. Detection of bacterial growth by the Malthus . . . 149
Contribution towards the antigenic analysis of *Toxoplasma gondii* . . . 319
Conversion of plasma to 'serum' by heat treatment, for preparation of red cell grouping reagents . . 177
Correlative study of the same isolated glomerulus by electron and light microscopy . . . 359
Cortisol. The development, evaluation and application of specific methods for the quantitation of urinary free . . . 403
Corynebacterium suis: an investigation of its laboratory characteristics, habitat and survival . . . 199
Coulter Model S Plus counter after correction for hyperlipaemia. Erroneous platelet counts on the 69
Cows as a possible source of infection in Nigeria. Campylobacter infections: domestic . . . 145
Creatine kinase assays: discrepancies between results on animal and human materials. Plasma . . . 301
Creatinine. Bioluminescence as an analytical technique for determination of . . . 129
Cresol in YSI glucose analyser. Interference by . . . 302
Culture: mycoplasma infection and virus susceptibility. Tissue . . . 43
Culture with PAS staining for the diagnostic isolation of *Chlamydia trachomatis*. Microplate . . . 193
Cytomegalovirus by restriction enzyme analysis. Genome characterization of clinical isolates of human . . . 81

D

Dengue and yellow fever outbreaks. Studies on the use of the *Aedes pseudoscutellaris* cell line for the investigation of . . . 202
Detection of antibodies to *Toxoplasma gondii*: a comparison of three test kits . . . 387
Detection of bacterial growth by the Malthus conductance meter . . . 149
Development and application of a reliable, sensitive radioimmunoassay for human prolactin . . . 197
Development, evaluation and application of specific methods for the quantitation of urinary free cortisol . . . 403
Diabetes mellitus. Beta thromboglobulin and glycosylated haemoglobin in . . . 298
Diethyl ether. Solvent removal by evaporation: effect of water on the recovery of oestrogens from 179
Diffusion assay for urea. An enzyme-linked radial . . . 21
Dysfibrinogenaemia. Acquired . . . 165

E

Effect of lithium on *Herpes simplex* virus replication . . . 406
Electron microscopy. Collection and orientation of gastric and intestinal biopsies for combined light and . . . 395
Electron and light microscopy. Correlative study of the same isolated glomerulus by . . . 359
ELISA assays. Toxic tape and . . . 407
Enterobacteriaciae using a multipoint inoculation system. Biochemical identification of the . . . 349
Enzyme immunoassay for detection of anti-HB_{core}IgM. A modified . . . 189
Enzyme-linked immunoassay and haemagglutination tests. A study of the purification of *Toxoplasma gondii* antigens and their involvement in the . . . 201
Enzyme-linked immunosorbent assay for the detection of Toxoplasma IgG antibody: a comparison with other serological tests . . . 322
Enzyme-linked radial diffusion assay for urea . . . 21
Enzymes. Coeliac disease and intestinal . . . 404
Epithelium. Tissue fixation and autoradiographic negative chemography in rat oral . . . 15
Erroneous platelet counts of the Coulter Model S Plus counter after correction for hyperlipaemia 69
Erythrocyte sedimentation rate: a comparison between three methods . . . 367
Erythrocyte sedimentation rate: evaluation of a commercial capillary-ESR tube in a paediatric haematology laboratory . . . 183
Estimation of mercury levels in urine and whole blood and the detection of exposure to mercury and its compounds . . . 297
Evaluation of the measurement of reverse T_3 in suspected thyroid disease . . . 235
Evaporation: effect of water on the recovery of oestrogens from diethyl ether. Solvent removal by 179
Expansion of the York, Cost, McCoy, Knops blood group system: the new McCoy antigens McC^c and McC^d . . . 113

External quality assessment in clinical chemistry 263
External quality assessment of health laboratories 211

F

Fatty acid profiles of campylobacters. Cellular 333
Filtration. Blood grouping anti-sera: large-scale clarification, concentration, and sterile 123
Folate-binding proteins present in some commercial serum albumin preparations. Specific 187

G

Gamma counters. Quality assurance for multi-crystal 223
Gardnerella vaginalis-associated vaginitis – a 'new' sexually transmitted disease 53
Gas analysis: instrumentation and quality control. Blood 219
Gas liquid chromatography in medical microbiology 375
Gastric and intestinal biopsies for combined light and electron microscopy. Collection and orientation of 395
Genome characterization of clinical isolates of human cytomegalovirus by restriction enzyme analysis 81
Glomerulus by electron and light microscopy. Correlative study of the same isolated 359
Glucose analyser. Interference by cresol in YSI 302
Glucose estimations. A quality-control scheme for ward-based blood 279
Glucose Reflotest-Reflomat system. Laboratory staff and nurses' performance compared when using the blood 283
Glycosylated haemoglobin in diabetes mellitus. Beta thromboglobulin and 298
Gomori acid phosphatase reaction. A quantitative study of the 89
Grouping reagents. Conversion of plasma to 'serum' by heat treatment, for preparation of red cell 177

H

H. influenzae and *H. parainfluenza* 96
Haemagglutination tests. A study of the purification of *Toxoplasma gondii* antigens and their involvement in the enzyme-linked immunoassay and 201
Health laboratories. External quality assessment of 211
Heat treatment, for preparation of red cell grouping reagents. Conversion of plasma to 'serum' by 177
Hepatitis non-A, non-B-implicated blood donor. Particulate structure derived from the serum of a 77
Hepatitis B surface antigen testing of blood donors: an evaluation of the BPL-bead radioimmunoassay 49
Herpes simplex virus replication. The effect of lithium on 406
High density lipoproteins. Techniques for isolation and characterisation of subfractions of 402
Histological study of the uptake of porphyrins by normal and malignant tissue 401
Histopathology. Technical quality assurance in 257
Human cytomegalovirus by restriction enzyme analysis. Genome characterization of clinical isolates of 81
Human materials. Plasma creatine kinase assays: discrepancies between results on animal and 301
Human prolactin. The development and application of a reliable, sensitive radioimmunoassay for 197
Hyperlipaemia. Erroneous platelet counts on the Coulter Model S Plus counter after correction for 69
Hyperlipaemic samples on an automated particle counter. An improved method for obtaining reliable blood counts with 397

I

IBM 2991 processor. Leucocyte-poor red blood cells for transfusion prepared with the 107
Identification and sub-classification of clostridia of clinical importance 200
Immunoassay for detection of anti-HB_{core}IgM. A modified enzyme 189
Immunoassay and haemagglutination tests. A study of the purification of *Toxoplasma gondii* antigens and their involvement in the enzyme-linked 201
Immunoassays. A semi-automated washing and aspirating procedure for solid phase 75
Immunocytochemical studies of bovine papillomaviruses 299
Immunosorbent assay for the detection of Toxoplasma IgG antibody: a comparison with other serological tests. Emzyme-linked 322
Improved method for obtaining reliable blood counts with hyperlipaemic samples on an automated particle counter 397

Improved recovery and identification of group B streptococci by selective-enrichment and latex agglutination 39
Infections: domestic cows as a possible source of infection in Nigeria. Campylobacter 145
Inoculation system. Biochemical identification of the enterobacteriacae using a multipoint 349
Interference by cresol in YSI glucose analyser 302
Intestinal biopsies for combined light and electron microscopy. Collection and orientation of gastric and 395
Intestinal enzymes. Coeliac disease and 404
Iodinating proteins. A shielded, sterile apparatus for 67
Isolation and characterisation of anti-tumour effector cells 198

J

Journals. Uniform requirements for manuscripts submitted to biomedical 1

K

Keratan sulphate excretion 90
Knops/McCoy antigens. The status of the 59
Koch's cultivation of tubercle bacilli 85

L

Laboratory staff and nurses' performance compared when using the blood glucose Reflotest-Reflomat system 283
Latex agglutination. Improved recovery and identification of group B streptococci by selective-enrichment and 39
Leucocyte-poor blood for transfusion 105
Leucocyte-poor red blood cells for transfusion prepared with the IBM 2991 processor 107
Leukocyte function. Studies on the effects of antigen antibody complexes on tests of 91
Light and electron microscopy. Collection and orientation of gastric and intestinal biopsies for . . . 395
Light microscopy. Correlative study of the same isolated glomerulus by electron and 359
LISS in patients with rheumatoid arthritis. Serological reactions using 391
Lithium on Herpes simplex virus replication. The effect of 406

M

McCoy antigens McC^{c} and McC^{d}. Expansion of the York, Cost, McCoy, Knops blood group system: the new 113
McCoy/Knops antigens. The status of the 59
Malignant tissue. A histological study of the uptake of porphyrins by normal and 401
Malthus conductance meter. Detection of bacterial growth by the 149
Manuscripts submitted to biomedical journals. Uniform requirements for 1
2-Mercaptobenzoic acid. Production of PNH-like red cells using 33
Mercury levels in urine and whole blood and the detection of exposure to mercury and its compounds. The estimation of 297
Methacrylate sections. Stain removal from 393
Microbiological safety cabinet. A unidirectional aerodynamic class I 159
Microbiology. Gas liquid chromatography in medical 375
Microbiology. Quality assurance and 269
Microcomputers in bacteriology 355
Microplate culture with PAS staining for the diagnostic isolation of *Chlamydia trachomatis* 193
Minigroupamatic. Automated blood grouping in a hospital laboratory with the 7
Modified enzyme immunoassay for detection of anti-HB_{core} IgM 189
Monocyte chemotaxis: a simple measurement technique 291
Multi-crystal gamma counters. Quality assurance for 223
Multipoint inoculation system. Biochemical identification of the enterobacteriaciae using a 349
Mycoplasma infection and virus susceptibility. Tissue culture: 43

N

Negative chemography in rat oral epithelium. Tissue fixation and autoradiographic 15
Nigeria. Campylobacter infections: domestic cows as a possible source of infection in 145

Nurses' performance compared when using the blood glucose Reflotest-Reflomat system. Laboratory staff and 283

O

Obituary. Professor C.F.A. Culling, FIMLS 303
Obituary. William John Hatcher 409
Oestrogens from diethyl ether. Solvent removal by evaporation: effect of water on the recovery of 179

P

Pancreatic polypeptide. Validation and application of a radioimmunoassay for 295
Papillomaviruses. Immunocytochemical studies of bovine 299
Particulate structure derived from the serum of a hepatitis non-A, non-B-implicated blood donor . . 77
PAS staining for the diagnostic isolation of *Chlamydia trachomatis*. Microplate culture with 193
Pasteurella haemolytica. Bacteriocinogeny in 92
Plasma creatine kinase assays: discrepancies between results on animal and human materials 301
Plasma to 'serum' by heat treatment, for preparation of red cell grouping reagents. Conversion of . 177
Platelet counts on the Coulter Model S Plus counter after correction for hyperlipaemia. Erroneous 69
PNH-like red cells using 2-mercaptobenzoic acid. Production of 33
Porphyrins by normal and malignant tissue. A histological study of the uptake of 401
Preparation of an alkaline phosphatase-linked transferrin antibody 139
Progesterone. Charcoal cloth discs to separate free from antibody-bound 229
Prolactin. The development and application of a reliable, sensitive radioimmunoassay for human . . 197
Proteins. A shielded, sterile apparatus for iodinating 67
Proteins in some commercial serum albumin preparations. Specific folate-binding 187

Q

Quality assessment in clinical chemistry. External 263
Quality assessment of health laboratories. External 211
Quality assurance and clinical microbiology 269
Quality assurance in histopathology. Technical 257
Quality assurance for multi-crystal gamma counters 223
Quality assurance and training for quality control 275
Quality control with automated blood grouping equipment 243
Quality control. Blood gas analysis: instrumentation and 219
Quality-control scheme for ward-based blood glucose estimations 279
Quality control. Quality assurance and training for 275
Quality monitoring of blood and its components 253
Quantitative study of the Gomori acid phosphatase reaction 89

R

Radioimmunoassay for detection of tetanus antibodies. A solid-phase 73
Radioimmunoassay. Hepatitis B surface antigen testing of blood donors: an evaluation of the BPL-bead 49
Radioimmunoassay for human prolactin. The development and application of a reliable sensitive . . 197
Radioimmunoassay for pancreatic polypeptide. Validation and application of a 295
Rat oral epithelium. Tissue fixation and autoradiographic negative chemography in 15
Red blood cells for transfusion prepared with the IBM 2991 processor. Leucocyte-poor 107
Red cell grouping reagents. Conversion of plasma to 'serum' by heat treatment, for preparation of 177
Red cells using 2-mercaptobenzoic acid. Production of PNH-like 33
Reflotest-Reflomat system. Laboratory staff and nurses' performance compared when using the blood glucose 283
Restriction enzyme analysis. Genome characterization of clinical isolates of human cytomegalovirus by 81
Reverse T_3 in suspected thyroid disease. Evaluation of the measurement of 235
Rg testing. A simple method for Ch and 65
Rheumatoid arthritis. Serological reactions using low ionic strength saline (LISS) in patients with 391
RIA for free thyroxine 93

S

Safety cabinet. A unidirectional aerodynamic class I microbiological 159
Sedimentation rate: a comparison between three methods. Erythrocyte 367
Sedimentation rate: evaluation of a commercial capillary-ESR tube in a pediatric haematology laboratory. Erythrocyte 183
Selective-enrichment and latex agglutination. Improved recovery and identification of group B streptococci by 39
Semi-automated washing and aspirating procedure for solid phase immunoassays 75
Serodiagnosis of canine autoimmune haemolytic anaemia 405
Serological reactions using low ionic strength saline (LISS) in patients with rheumatoid arthritis . . 391
Serological tests. Enzyme-linked immunosorbent assay for the detection of Toxoplasma IgG antibody: a comparison with other 322
Serum albumin preparations. Specific folate-binding proteins present in some commercial 187
'Serum' by heat treatment, for preparation of red cell grouping reagents. Conversion of plasma to 177
Shielded, sterile apparatus for iodinating proteins. A 67
Solid phase immunoassays. A semi-automated washing and aspirating procedure for 75
Solid-phase radioimmunoassay for detection of tetanus antibodies 73
Solvent removal by evaporation: effect of water on the recovery of oestrogens from diethyl ether 179
Specific folate-binding proteins present in some commercial serum albumin preparations 187
Stain removal from methacrylate sections 393
Staining for the diagnostic isolation of *Chlamydia trachomatis*. Microplate culture with PAS 193
Status of the McCoy/Knops antigens 59
Streptococci by selective-enrichment and latex agglutination. Improved recovery and identification of group B 39
Studies on the effects of antigen antibody complexes on tests of leukocyte function 91
Studies on the use of the *Aedes pseudoscutellaris* cell line for the investigation of dengue and yellow fever outbreaks 202
Study of the purification of *Toxoplasma gondii* antigens and their involvement in the enzyme-linked immunoassay and haemagglutination tests 201

T

Technical quality assurance in histopathology 257
Techniques for isolation and characterisation of subfractions of high density lipoproteins 402
Tetanus antibodies. A solid-phase radioimmunoassay for detection of 73
Thyroid disease. Evaluation of the measurement of reverse T_3 in suspected 235
Thyroxine. RIA for free 93
Tissue culture: mycoplasma infection and virus susceptibility 43
Tissue fixation and autoradiographic negative chemography in rat oral epithelium 15
Tissue. A histological study of the uptake of porphyrins by normal and malignant 401
Toxic tape and ELISA assays 407
Toxoplasma gondii: a comparison of three test kits. Detection of antibodies to 387
Toxoplasma gondii. A contribution towards the antigenic analysis of 319
Toxoplasma IgG antibody: a comparison with other serological tests. Enzyme-linked immunosorbent assay for the detection of 322
Toxoplasmosis 317
Training for quality control. Quality assurance and 275
Transferrin antibody. Preparation of an alkaline phosphatase-linked 139
Transfusion. Leucocyte-poor blood for 105
Transfusion prepared with the IBM 2991 processor. Leucocyte-poor red blood cells for 107
Tubercle bacilli. Koch's cultivation of 85

U

Unidirectional aerodynamic class I microbiological safety cabinet 159
Urea. An enzyme-linked radial diffusion assay for 21
Urinalysis and non-culture tests for bacteriuria. Effect of chemical preservation of urine on routine 27
Urinary free cortisol. The development, evaluation and application of specific methods for the quantitation of 403
Urine and whole blood and the detection of exposure to mercury and its compounds. The estimation of mercury levels in 297

V

Vaginitis – a 'new' sexually transmitted disease. *Gardnerella vaginalis*-associated 53
Validation and application of a radioimmunoassay for pancreatic polypeptide 295
Virus susceptibility. Tissue culture: mycoplasma infection and 43
Vitamin B_{12}. Assay of 95

W

Ward-based blood glucose estimations. A quality-control scheme for 279
Washing and aspirating procedure for solid phase immunoassays. A semi-automated 75

Y

Yellow fever outbreaks. Studies on the use of the *Aedes pseudoscutellaris* cell line for the investigation of dengue and 202
YSI glucose analyser. Interference by cresol in 302

AUTHOR INDEX

A

Allen, B. W. and Hinkes, W. F. Koch's cultivation of tubercle bacilli 85
Andrews, S., Cooke, P. R. and Went, J. A quality-control scheme for ward-based blood glucose estimations 279
Armstrong, D. J. (see Francis, J. L.). Acquired dysfibrinogenaemia 165
Atkins, C. (see Lomas, C. G.). A simple method for Ch and Rg testing 65

B

Bailey, P. V. (see Robertson, P.). A unidirectional aerodynamic class I microbiological safety cabinet 159
Barr, A. and Muir, W. Quality monitoring of blood and its components 253
Barr, A. (see Dow, B. C.). A solid-phase radioimmunoassay for detection of tetanus antibodies . . . 73
Barr, A. (see MacVarish, I. P.). A semi-automated washing and aspirating procedure for solid phase immunoassays 75
Barr, W. T. and Williams, E. D. Technical quality assurance in histopathology 257
Baynes, N. C., Comrie, J. and Prain, J. H. Detection of bacterial growth by the Malthus conductance meter 149
Bell, P. R. F. (see Neoptolemos, J. P.). Monocyte chemotaxis: a simple measurement technique . . 291
Bolton, E. (see Neoptolemos, J. P.). Monocyte chemotaxis: a simple measurement technique 291
Bradbury, D., Sheppard, K. and Davis, J. Specific folate-binding proteins present in some commercial serum albumin preparations 187
Bradford, N. C. (see Simpson, D. S.). An enzyme-linked radial diffusion assay for urea 21
Bradwell, A. R. (see Watson James, S. F.). A shielded, sterile apparatus for iodinating proteins . . . 67
Byrne, M. D. (Thesis summary). The identification and sub-classification of clostridia of clinical importance 200

C

Carr, E. C. Plasma creatine kinase assays: discrepancies between results on animal and human materials 301
Chandler, H. M., Healey, K. and Hurrell, J. G. R. Estimation of urinary chorionic gonadotropin levels: a rapid capillary enzyme immunoassay 287
Chessum, B. S. (Leading article). Toxoplasmosis 317
Codd, J. D. (Thesis summary). A histological study of the uptake of porphyrins by normal and malignant tissue 401
Colliss, J. S. and Ginman, R. Bioluminescence as an analytical technique for determination of creatinine 129
Combridge, B. S. (see Kane, E.). Hepatitis B surface antigen testing of blood donors: an evaluation of the BPL-bead radioimmunoassay 49
Comrie, J. (see Baynes, N. C.). Detection of bacterial growth by the Malthus conductance meter . . 149
Cooke, P. R. (see Andrews, S.). A quality-control scheme for ward-based blood glucose estimations 279
Crawford, R. J. (see Dow, B. C.). A solid-phase radioimmunoassay for detection of tetanus antibodies 73
Cummings, G. H. and Howell, P. I. External quality assessment in clinical chemistry 263
Curtis, M. A. Cellular fatty acid profiles of campylobacters 333

D

Dagnall, G. J. R. (Thesis summary). *Corynebacterium suis*: an investigation of its laboratory characteristics, habitat and survival 199
Dalton, A., Standing, S. and Lacey, R. W. Evaluation of the measurement of reverse T_3 in suspected thyroid disease 235
Daniels, G. L. (see Lomas, C. G.). A simple method for Ch and Rg testing 65
Darby, H. (see Neoptolemos, J. P.). Monocyte chemotaxis: a simple measurement technique 291
Davies, J. (see Bradbury, D.). Specific folate-binding proteins present in some commercial serum albumin preparations 187
Davis, K. M. (see Hart, G. C.). Quality assurance for multi-crystal gamma counters 223
Devgun, M. S. and Fairweather, G. W. Blood gas analysis: instrumentation and quality control . . . 219
Dissanayake, P. B. Interference by cresol in YSI glucose analyser 302
Dow, B. C., Barr, A., Crawford, R. J. and Mitchell, R. A solid-phase radioimmunoassay for detection of tetanus antibodies 73

AUTHOR INDEX

E

Elegbe, I. A. Campylobacter infections: domestic cows as a possible source of infection in Nigeria 145
Ellner, P. D. (see Nishimoto, G. S.). Improved recovery and identification of group B streptococci by selective-enrichment and latex agglutination 39

F

Fairweather, D. S. (see Watson James, S. F.). A shielded, sterile apparatus for iodinating proteins 67
Fairweather, G. W. (See Devgun, M. S.). Blood gas analysis: instrumentation and quality control 219
Farr, A. D. (Leading article). Leucocyte-poor blood for transfusion 105
Ferris, J. A. (see Lauer, B. A.). Effect of chemical preservation of urine on routine urinalysis and non-culture tests for bacteriuria 27
Field, S. A modified enzyme immunoassay for detection of anti-HB_{core}IgM 189
Field, S. E. (see Hopkins, R.). Particulate structure derived from the serum of a hepatitis non-A, non-B-implicated blood donor 77
Francis, D. A. Production of PNH-like red cells using 2-mercaptobenzoic acid 33
Francis, J. L. and Armstrong, D. J. Acquired dysfibrinogenaemia 165
Francis, J. M. A contribution towards the antigenic analysis of *Toxoplasma gondii* 319
Francis, J. M. Enzyme-linked immunosorbent assay for the detection of Toxoplasma IgG antibody: a comparison with other serological tests 322
Francis, J. M. (Thesis summary). A study of the purification of *Toxoplasma gondii* antigens and their involvement in the enzyme-linked immunoassay and haemagglutination tests 201

G

Ginman, R. (see Colliss, J. S.). Bioluminescence as an analytical technique for determination of creatinine 129
Gourlay, C. W. D. (Thesis summary). Validation and application of a radioimmunoassay for pancreatic polypeptide 295
Gray, J. J. Tissue culture: mycoplasma infection and virus susceptibility 43
Green, C. A. (see Lomas, C. G.). A simple method for Ch and Rg testing 65
Gregory, P. A. (see Revill, J. A.). Leucocyte-poor red blood cells for transfusion prepared with the IBM 2991 processor 107
Guthrie, D. L. and Priest, C. J. Assay of vitamin B_{12} 95

H

Hackett, M. C., Hinchliffe, R. F., Laycock, B. J. and Lilleyman, J. S. Erythrocyte sedimentation rate: evaluation of a commercial capillary-ESR tube in a paediatric haematology laboratory 183
Hall, P. C., Wilson, J. and Syndercombe-Court, D. Erythrocyte sedimentation rate: a comparison between three methods 367
Hards, D. Stain removal from methacrylate sections 393
Hart, G. C. and Davis, K. M. Quality assurance for multi-crystal gamma counters 223
Hartley, C. E. (Thesis summary). The effect of lithium on *Herpes simplex* virus replication 406
Healey, K. (see Chandler, H. M.). Estimation of urinary chorionic gonadotropin levels: a rapid capillary enzyme immunoassay 287
Hinchliffe, R. F. (see Hackett, M. C.). Erythrocyte sedimentation rate: evaluation of a commercial capillary-ESR tube in a paediatric haematology laboratory 183
Hinkes, W. F. (see Allen, B. W.). Koch's cultivation of tubercle bacilli 85
Hopkins, R., Kerr, A., Field, S. E. and Robertson, A. E. Particulate structure derived from the serum of a hepatitis non-A, non-B-implicated blood donor 77
Hopkins, R. (see Kane, E.). Hepatitis B surface antigen testing of blood donors: an evaluation of the BPL-bead radioimmunoassay 49
Houston, S. R. (see MacVarish, I. P.). A semi-automated washing and aspirating procedure for solid phase immunoassays 75
Hovind, O. B. Quality assurance and training for quality control 275
Howell, P. I. (see Cummings, G. H.). External quality assessment in clinical chemistry 263
Hume, L. H. (Thesis summary). Bacteriocinogeny in *Pasteurella haemolytica* 92
Hurrell, J. G. R. (see Chandler, H. M.). Estimation of urinary chorionic gonadotrophin levels: a rapid capillary enzyme immunoassay 287

AUTHOR INDEX

J

Jenkins, D. (see Stephenson, P. M.). Collection and orientation of gastric and intestinal biopsies for combined light and electron microscopy 395
Jones, A. (Thesis summary). The development and application of a reliable, sensitive radioimmunoassay for human prolactin 197
Jones, A. M. Reply to a letter 96
Jones, B. M. *Gardnerella vaginalis*-associated vaginitis: a 'new' sexually transmitted disease 53
Jones, D. R. E. (Thesis summary). The serodiagnosis of canine autoimmune haemolytic anaemia . . 405

K

Kane, E., Willis, G., Combridge, B. S., Turnbull, W. and Hopkins, R. Hepatitis B surface antigen testing of blood donors: an evaluation of the BPL-bead radioimmunoassay 49
Keane, R. (Thesis summary). Coeliac disease and intestinal enzymes 404
Kerr, A. (see Hopkins, R.). Particulate structure derived from the serum of a hepatitis non-A, non-B-implicated blood donor 77
Knight, R. C. and Slater, N. G. P. Automated blood grouping in a hospital laboratory with the Minigroupamatic 7

L

Lacey, R. W. (see Dalton, A.). Evaluation of the measurement of reverse T_3 in suspected thyroid disease 235
Lane, C. H. (Thesis summary). The estimation of mercury levels in urine and whole blood and the detection of exposure to mercury and its compounds 297
Lauer, B. A., Reller, L. B., Mirrett, S. and Ferris, J. A. Effect of chemical preservation of urine on routine urinalysis and non-culture tests for bacteriuria 27
Laycock, B. J. (see Hackett, M. C.). Erythrocyte sedimentation rate: evaluation of a commercial capillary-ESR tube in a paediatric haematology laboratory 183
Lester, J. Detection of antibodies to *Toxoplasma gondii*: a comparison of three test kits 387
Lilleyman, J. S. (see Hackett, M. C.). Erythrocyte sedimentation rate: evaluation of a commercial capillary-ESR tube in a paediatric haematology laboratory 183
Lomas, C. G. Green, C. A., Atkins, C., Daniels, G. L. and Tippett, P. A simple method for Ch and Rg testing 65
Longdon, K. (Thesis summary). Keratan sulphate excretion 90

M

MacDonald, D. G. (see Prime, S. S.). Tissue fixation and autoradiographic negative chemography in rat oral epithelium 15
McKirgan, J. N. (Thesis summary). Studies on the effects of antigen antibody complexes on tests of leukocyte function 91
MacLaren, D. M. *H. influenzae* and *H. parainfluenza* 96
MacVarish, I. P., Houston, S. R. and Barr, A. A semi-automated washing and aspirating procedure for solid phase immunoassays 75
Magee, J. T. Microcomputers in bacteriology 355
Mallinson, H. (see Naughton, H.). Microplate culture with PAS staining for the diagnostic isolation of *Chlamydia trachomatis* 193
Martin, R. J. Quality assurance and clinical microbiology 269
Martin, T. C. and Ryan, M. P. W. Charcoal cloth discs to separate free from antibody-bound progesterone 229
Masters, S. T. (Thesis summary). Beta thromboglobulin and glycosylated haemoglobin in diabetes mellitus 298
Metcalf, M. G. Solvent removal by evaporation: effect of water on the recovery of oestrogens from diethyl ether 179
Mirrett, S. (see Lauer, B. A.). Effect of chemical preservation of urine on routine urinalysis and non-culture tests for bacteriuria 27
Mitchell, R. (see Dow, B. C.). A solid-phase radioimmunoassay for detection of tetanus antibodies 73
Molthan, L. Expansion of the York, Cost, McCoy, Knops blood group system: the new McCoy antigens McC^c and McC^d 113
Molthan, L. The status of the McCoy/Knops antigens 59
Moore, B. P. L. (see Spence, L. R.). Blood grouping anti-sera: large-scale clarification, concentration and sterile filtration 123

Morley, G. Quality control with automated blood grouping equipment 243
Muir, W. (see Barr, A.). Quality monitoring of blood and its components 253

N

Naughton, H. and Mallinson, H. Microplate culture with PAS staining for the diagnostic isolation of *Chlamydia trachomatis* 193
Neoptolemos, J. P., Darby, H., Bolton, E. and Bell, P. R. F. Monocyte chemotaxis: a simple measurement technique 291
Ngai, H. K. (see Or, S. B.). Correlative study of the same isolated glomerulus by electron and light microscopy 359
Nicholls, P. D. Erroneous platelet counts on the Coulter Model S plus counter after correction for hyperlipaemia 69
Nicholls, P. D. An improved method for obtaining reliable blood counts with hyperlipaemic samples on an automated particle counter 397
Nishimoto, G. S. and Ellner, P. D. Improved recovery and identification of group B streptococci by selective-enrichment and latex agglutination 39
Northcott, M. J. and Sharp, E. Conversion of plasma to 'serum' by heat treatment, for preparation of red cell grouping reagents 177

O

O'Neil, B. W. (Thesis summary). Immunocytochemical studies of bovine papillomaviruses 299
Or, S. B., Ngai, H. K. and Yau, W. L. Correlative study of the same isolated glomerulus by electron and light microscopy 359

P

Partington, S. Preparation of an alkaline phosphatase-linked transferrin antibody 139
Pease, A. A. Biochemical identification of the enterobacteriaciae using a multipoint inoculation system 349
Prain, J. H. (see Baynes, N. C.). Detection of bacterial growth by the Malthus conductance meter 149
Priest, C. J. (see Guthrie, D. L.). Assay of vitamin B_{12} 95
Prime, S. S. and MacDonald, D. G. Tissue fixation and autoradiographic negative chemography in rat oral epithelium 15

R

Race, M. W. (Thesis summary). Studies on the use of the *Aedes pseudoscutellaris* cell line for the investigation of dengue and yellow fever outbreaks 202
Reller, L. B. (see Lauer, B. A.). Effect of chemical preservation of urine on routine urinalaysis and non-culture tests for bacteriuria 27
Revill, J. A. and Gregory, P. A. Leucocyte-poor red blood cells for transfusion prepared with the IBM 2991 processor 107
Robertson, A. E. (see Hopkins, R.). Particulate structure derived from the serum of a hepatitis non-A, non-B-implicated blood donor 77
Robertson, P., Whyte, W. and Bailey, P. V. A unidirectional aerodynamic class I microbiological safety cabinet 159
Rose, P. E. and Struthers, G. R. Serological reactions using low ionic strength saline (LISS) in patients with rheumatoid arthritis 391
Ryan, M. P. W. (see Martin, T. C.). Charcoal cloth discs to separate free from antibody-bound progesterone 229

S

Scott, B. B. (see Stephenson, P. M.). Collection and orientation of gastric and intestinal biopsies for combined light and electron microscopy 395
Sharp, E. (see Northcott, M. J.). Conversion of plasma to 'serum' by heat treatment, for preparation of red cell grouping reagents 177
Sheppard, K. (see Bradbury, D.). Specific folate-binding proteins present in some commercial serum albumin preparations 187
Simpson, D. S. and Bradford, N. C. An enzyme-linked radial diffusion assay for urea 21
Simpson, H. S. (Thesis summary). Techniques for isolation and characterization of subfractions of high density lipoproteins 402
Skinner, P. R. (see Taylor, A. J.). Gas liquid chromatography in medical microbiology 375

Slater, N. G. P. (see Knight, R. C.). Automated blood grouping in a hospital laboratory with the Minigroupamatic 7
Smith, J. H. Laboratory staff and nurses' performance compared when using the blood glucose Reflotest-Reflomat system 283
Spence, L. R. and Moore, B. P. L. Blood grouping anti-sera: large-scale clarification, concentration and sterile filtration 123
Standing, S. (see Dalton, A.). Evaluation of the measurement of reverse T_3 in suspected thyroid disease 235
Stephenson, P. M., Jenkins, D. and Scott, B. B. Collection and orientation of gastric and intestinal biopsies for combined light and electron microscopy 395
Struthers, G. R. (see Rose, P. E.). Serological reactions using low ionic strength saline (LISS) in patients with rheumatoid arthritis 391
Syndercombe-Court, D. (see Hall, P. C.). Erythrocyte sedimentation rate: a comparison between three methods 367

T

Taylor, A. J. and Skinner, P. R. Gas liquid chromatography in medical microbiology 375
Thomson, M. S. (Thesis summary). The development, evaluation and application of specific methods for the quantitation of urinary free cortisol 403
Tippett, P. (see Lomas, C. G.). A simple method for Ch and Rg testing 65
Turnbull, W. (see Kane, E.). Hepatitis B surface antigen testing of blood donors: an evaluation of the BPL-bead radioimmunoassay 49
Tuttlebee, J. RIA for free thyroxine 93
Tyms, A. S. Genome characterization of clinical isolates of human cytomegalovirus by restriction enzyme analysis 81

W

Walkingshaw, D. R. G. (Thesis summary). Isolation and characterization of anti-tumour effector cells 198
Watson James, S. F., Fairweather, D. S. and Bradwell, A. R. A shielded, sterile apparatus for iodinating proteins 67
Went, J. (see Andrews, S.). A quality-control scheme for ward-based blood glucose estimations . . . 279
Whyte, W. (see Robertson, P.). A unidirectional aerodynamic class I microbiological safety cabinet 159
Williams, E. D. (see Barr, W. T.). Technical quality assurance in histopathology 257
Willis, G. (see Kane, E.). Hepatitis B surface antigen testing of blood donors: an evaluation of the BPL-bead radioimmunoassay 49
Wilson, J. (see Hall, P. C.). Erythrocyte sedimentation rate: a comparison between three methods 367
World Health Organization (Leading article). External quality assessment of health laboratories . . 211
Wreghitt, T. G. Toxic tape and ELISA assays 407

Y

Yau, W. L. (see Or, S. B.). Correlative study of the same isolated glomerulus by electron and light microscopy 359

INDEX OF SUBJECT INTERESTS

Blood Transfusion

Automated blood grouping in a hospital laboratory with the Minigroupamatic 7
Blood grouping anti-sera: large-scale clarification, concentration, and sterile filtration 123
Conversion of plasma to 'serum' by heat treatment, for preparation of red cell grouping reagents . . 177
Expansion of the York, Cost, McCoy, Knops blood group system: the new McCoy antigens McC^c and McC^d 113
Hepatitis B surface antigen testing of blood donors: an evaluation of the BPL-bead radioimmunoassay 49
Leucocyte-poor red blood cells for transfusion prepared with the IBM 2991 processor 107
Quality control with automated blood grouping equipment 243
Quality monitoring of blood and its components 253
Serodiagnosis of canine autoimmune haemolytic anaemia 405
Serological reactions using low ionic strength saline (LISS) in patients with rheumatoid arthritis . . 391
Simple method for Ch and Rg testing. A 65
Status of the McCoy/Knops antigens. The 59

Cellular Pathology

Collection and orientation of gastric and intestinal biopsies for combined light and electron microscopy 395
Corrective study of the same isolated glomerulus by electron and light microscopy 359
Histological study of the uptake of porphyrins by normal and malignant tissue 401
Quantitative study of the Gomori acid phosphatase reaction 89
Stain removal from methacrylate sections 393
Technical quality assurance in histopathology 257
Tissue fixation and autoradiographic negative chemography in rat oral epithelium 15

Clinical Chemistry

Bioluminescence as an analytical technique for determination of creatinine 129
Blood gas analysis: instrumentation and quality control 219
Charcoal cloth discs to separate free from antibody-bound progesterone 229
Coeliac disease and intestinal enzymes 404
Development and application of a reliable sensitive radioimmunoassay for human prolactin. The . . 197
Development, evaluation and application of specific methods for the quantitation of urinary free cortisol 403
Effect of chemical preservation of urine on routine urinalysis and non-culture tests for bacteriuria 27
Enzyme-linked radial diffusion assay for urea. An 21
Estimation of mercury levels in urine and whole blood and the detection of exposure to mercury and its compounds 297
Estimation of urinary chorionic gonadotropin levels: a rapid capillary enzyme immunoassay. 287
Evaluation of the measurement of reverse T_3 in suspected thyroid disease 235
External quality assessment in clinical chemistry 263
Keratan sulphate excretion 90
Laboratory staff and nurses' performance compared when using the blood glucose Reflotest-Reflomat system 283
Preparation of an alkaline phosphatase-linked transferrin antibody 139
Quality-control scheme for ward-based blood glucose estimations. A 279
Shielded, sterile apparatus for iodinating proteins. A 67
Solvent removal by evaporation: effect of water on the recovery of oestrogens from diethyl ether 179
Techniques for isolation and characterization of subfractions of high density lipoproteins 402
Validation and application of a radioimmunoassay for pancreatic polypeptide 295

Data Processing

Microcomputers in bacteriology 355

Haematology

Acquired dysfibrinogenaemia 165
Beta thromboglobulin and glycosylated haemoglobin in diabetes mellitus 298
Erroneous platelet counts on the Coulter Model S Plus counter after correction for hyperlipaemia 69
Erythrocyte sedimentation rate: a comparison between three methods 367
Erythrocyte sedimentation rate: evaluation of a commercial capillary-ESR tube in a paediatric haematology laboratory 183
Improved method for obtaining reliable blood counts with hyperlipaemic samples on an automated particle counter. An 397

INDEX OF SUBJECT INTERESTS

Monocyte chemotaxis: a simple measurement technique . . . 291
Production of PNH-like red cells using 2-mercaptobenzoic acid . . . 33
Serodiagnosis of canine autoimmune haemolytic anaemia . . . 405
Specific folate-binding proteins present in some commercial serum albumin preparations . . . 187

Immunology
Estimation of urinary chorionic gonadotropin levels: a rapid capillary enzyme immunoassay . . . 287
Isolation and characterization of anti-tumour effector cells . . . 198
Modified enzyme immunoassay for detection of anti-HB_{core}IgM. A . . . 189
Monocyte chemotaxis: a simple measurement technique . . . 291
Semi-automated washing and aspirating procedure for solid phase immunoassays. A . . . 75
Solid-phase radioimmunoassay for detection of tetanus antibodies . . . 73
Studies on the effects of antigen antibody complexes on tests of leukocyte function . . . 91

Laboratory Management
External quality assessment in clinical chemistry . . . 263
Quality assurance and training for quality control . . . 275
Technical quality assurance in histopathology . . . 257

Medical History
Koch's cultivation of tubercle bacilli . . . 85

Microbiology
Bacteriocinogeny in *Pasteurella haemolytica* . . . 92
Biochemical identification of the enterobacteriaciae using a multipoint inoculation system . . . 349
Campylobacter infections: domestic cows as a possible source of infection in Nigeria . . . 145
Cellular fatty acid profiles of campylobacters . . . 333
Contribution towards the antigenic analysis of *Toxoplasma gondii*. A . . . 319
Corynebacterium suis: an investigation of its laboratory characteristics, habitat and survival . . . 199
Detection of antibodies to *Toxoplasma gondii*: a comparison of three test kits . . . 387
Detection of bacterial growth by the Malthus conductance meter . . . 149
Effect of chemical preservation of urine on routine urinalysis and non-culture tests for bacteriuria 27
Enzyme-linked immunosorbent assay for the detection of Toxoplasma IgG antibody: a comparison with other serological tests . . . 322
Gardnerella vaginalis-associated vaginitis – a 'new' sexually transmitted disease . . . 53
Gas liquid chromatography in medical microbiology . . . 375
Identification and sub-classification of clostridia of clinical importance. The . . . 200
Improved recovery and identification of group B streptococci by selective-enrichment and latex agglutination . . . 39
Koch's cultivation of tubercle bacilli . . . 85
Microcomputers in bacteriology . . . 355
Microplate culture with PAS staining for the diagnostic isolation of *Chlamydia trachomatis* . . . 193
Quality assurance and clinical microbiology . . . 269
Study of the purification of *Toxoplasma gondii* antigens and their involvement in the enzyme-linked immunoassay and haemagglutination tests . . . 201
Tissue culture: mycoplasma infection and virus susceptibility . . . 43
Unidirectional aerodynamic class I microbiological safety cabinet. A . . . 159

Radiation Physics
Quality assurance for multi-crystal gamma counters . . . 223

Radioassay
Charcoal cloth discs to separate free from antibody-bound progesterone . . . 229

Radioimmunoassay
Validation and application of a radioimmunoassay for pancreatic polypeptide . . . 295

Virology
Effect of lithium on *Herpes simplex* virus. The . . . 406
Hepatitis B surface antigen testing of blood donors: an evaluation of the BPL-bead radioimmunoassay . . . 49
Immunocytochemical studies of bovine papillomaviruses . . . 299
Genome characterization of clinical isolates of human cytomegalovirus by restriction enzyme analysis . . . 81
Modified enzyme immunoassay for detection of anti-HB_{core}IgM. A . . . 189

INDEX OF SUBJECT INTERESTS

Particulate structure derived from the serum of a hepatitis non-A, non-B-implicated blood donor . . 77
Semi-automated washing and aspirating procedure for solid phase immunoassays. A 75
Tissue culture mycoplasma infection and virus susceptibility 43
Studies on the use of the *Aedes pseudoscutellaris* cell line for the investigation of dengue and yellow fever outbreaks 202